



April 19, 2016

Valerie Hofmann
Hygieneering, Inc.
7575 Plaza Court
Willowbrook, IL 60521

Work Order: 1604B44

TEL: (630) 654-2550

FAX:

RE: 2016-2607 Springman Middle School

Dear Valerie Hofmann:

All data for the associated quality control (QC) met EPA, method, or internal laboratory specifications except where noted in the case narrative. If you are comparing these results to external QC specifications or compliance limits and have any questions, please contact us.

This final report of laboratory analysis consists of this cover letter, case narrative, analytical report, dates report, and any accompanying documentation including, but not limited to, chain of custody records, raw data, and letters of explanation or reliance. This report may not be reproduced, except in full, without the prior written approval of Suburban Laboratories, Inc.

If you have any questions regarding these test results, please call me at (708) 544-3260.

Sincerely,

A handwritten signature in black ink that reads "Pat Rodriguez".

Pat Rodriguez
Customer Service Manager
708-544-3260 ext. 214
pat@suburbanlabs.com





Case Narrative

Client: HYGIENEERING

Date: April 19, 2016

Project: 2016-2607 Springman Middle School

PO: 2016-2607

WorkOrder: 1604B44

QC Level:

Temperature of samples upon receipt at lab: 23 C

Chain of Custody: EV

General Comments:

- All results reported in wet weight unless otherwise indicated. (dry = Dry Weight)
- Sample results relate only to the analytes of interest tested and to sample as received by the laboratory.
- Environmental compliance sample results meet the requirements of 35 IAC Part 186 unless otherwise indicated.
- Waste water analysis follows the rules set forth in 40 CFR part 136 except where otherwise noted.
- Accreditation by the State of Illinois is not an endorsement or a guarantee of the validity of data generated.
- For more information about the laboratories' scope of accreditation, please contact us at (708) 544-3260 or the Agency at (217) 782-6455.
- All water analyses that are required to be performed in the field (e.g., pH, residual chlorine, sulfite, temperature, etc.) but are analyzed in the lab are identified as "in lab" and are considered past holding time. Following industry practices these results do not contain an "H" flag but are qualified as being analyzed in the lab.

Abbreviations:

- Reporting Limit: The concentration at which an analyte can be routinely detected on a day to day basis, and which also meets regulatory and client needs.
- Quantitation Limit: The lowest concentration at which results can be accurately quantitated.
- J: The analyte was positively identified above our Method Detection Limit and is considered detectable and usable; however, the associated numerical value is the approximate concentration of the analyte in the sample.
- ATC: Automatic Temperature Correction. - TNTC: Too Numerous To Count
- TIC: Tentatively Identified Compound (GCMS library search identification, concentration estimated to nearest internal standard).
- SS (Surrogate Standard): Quality control compound added to the sample by the lab.

Method References:

For a complete list of method references please contact us.

- E: USEPA Reference methods
- SW: USEPA, Test Methods for Evaluating Solid Waste (SW-846)
- M: Standard Methods for the Examination of Water and Wastewater
- USP: Latest version of United States Pharmacopeia

Workorder Specific Comments:

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Laboratory Results

Client: Hygieneering, Inc.

Report Date: April 19, 2016

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Client Sample ID: 2701-HF112

Matrix: Drinking Water

Lab ID: 1604B44-001

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:34 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS			Method: EPA-200.8-5.4, 1994			Analyst: jmk		
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:33 PM	35643

Client Sample ID: 2701-Rm 114 F114A

Matrix: Drinking Water

Lab ID: 1604B44-002

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:37 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS			Method: EPA-200.8-5.4, 1994			Analyst: jmk		
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:36 PM	35643

Client Sample ID: 2701-Rm 114 F114B

Matrix: Drinking Water

Lab ID: 1604B44-003

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:37 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS			Method: EPA-200.8-5.4, 1994			Analyst: jmk		
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:39 PM	35643

Client Sample ID: 2701-HF101A

Matrix: Drinking Water

Lab ID: 1604B44-004

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:41 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS			Method: EPA-200.8-5.4, 1994			Analyst: jmk		
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:42 PM	35643

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Laboratory Results

Client: Hygieneering, Inc.

Report Date: April 19, 2016

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Client Sample ID: 2701-HF101B

Matrix: Drinking Water

Lab ID: 1604B44-005

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:41 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID	
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk				
Lead	80.3	15.0	5.00	*	µg/L	1	4/18/2016 4:44 PM	35643	

Client Sample ID: 2701-HF154

Matrix: Drinking Water

Lab ID: 1604B44-006

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:45 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID	
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk				
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:47 PM	35643	

Client Sample ID: 2701-HF164A

Matrix: Drinking Water

Lab ID: 1604B44-007

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:47 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID	
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk				
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:53 PM	35643	

Client Sample ID: 2701-HF164B

Matrix: Drinking Water

Lab ID: 1604B44-008

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:47 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID	
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk				
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 4:56 PM	35643	

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Laboratory Results

Client: Hygieneering, Inc.

Report Date: April 19, 2016

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Client Sample ID: 2701-HF162A

Matrix: Drinking Water

Lab ID: 1604B44-009

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:50 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
-----------	--------	-----	--------------	------	-------	----	---------------	---------

METALS by ICPMS

Method: EPA-200.8-5.4, 1994

Analyst: jmk

Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:07 PM	35643
------	----	------	------	--	------	---	-------------------	-------

Client Sample ID: 2701-HF162B

Matrix: Drinking Water

Lab ID: 1604B44-010

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:50 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
-----------	--------	-----	--------------	------	-------	----	---------------	---------

METALS by ICPMS

Method: EPA-200.8-5.4, 1994

Analyst: jmk

Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:10 PM	35643
------	----	------	------	--	------	---	-------------------	-------

Client Sample ID: 2701-Rm144 F144

Matrix: Drinking Water

Lab ID: 1604B44-011

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:54 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
-----------	--------	-----	--------------	------	-------	----	---------------	---------

METALS by ICPMS

Method: EPA-200.8-5.4, 1994

Analyst: jmk

Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:13 PM	35643
------	----	------	------	--	------	---	-------------------	-------

Client Sample ID: 2701-H144

Matrix: Drinking Water

Lab ID: 1604B44-012

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 11:57 AM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
-----------	--------	-----	--------------	------	-------	----	---------------	---------

METALS by ICPMS

Method: EPA-200.8-5.4, 1994

Analyst: jmk

Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:16 PM	35643
------	----	------	------	--	------	---	-------------------	-------

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Laboratory Results

Client: Hygieneering, Inc.

Report Date: April 19, 2016

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Client Sample ID: 2701-Rm 136 F136

Matrix: Drinking Water

Lab ID: 1604B44-013

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:00 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:19 PM	35643

Client Sample ID: 2701-Kit A

Matrix: Drinking Water

Lab ID: 1604B44-014

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:04 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:22 PM	35643

Client Sample ID: 2701-HF219

Matrix: Drinking Water

Lab ID: 1604B44-015

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:18 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:25 PM	35643

Client Sample ID: 2701-Rm 226 F226

Matrix: Drinking Water

Lab ID: 1604B44-016

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:13 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:28 PM	35643

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Laboratory Results

Client: Hygieneering, Inc.

Report Date: April 19, 2016

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Client Sample ID: 2701-HF220

Matrix: Drinking Water

Lab ID: 1604B44-017

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:16 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:51 PM	35650

Client Sample ID: 2701-Rm 225 F225

Matrix: Drinking Water

Lab ID: 1604B44-018

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:19 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:54 PM	35650

Client Sample ID: 2701-HF201A

Matrix: Drinking Water

Lab ID: 1604B44-019

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:24 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:57 PM	35650

Client Sample ID: 2701-HF201B

Matrix: Drinking Water

Lab ID: 1604B44-020

Date Received: 4/18/2016 8:04 AM

Collection Date: 4/16/2016 12:24 PM

Parameter	Result	MCL	Report Limit	Qual	Units	DF	Date Analyzed	BatchID
METALS by ICPMS		Method: EPA-200.8-5.4, 1994			Analyst: jmk			
Lead	ND	15.0	5.00		µg/L	1	4/18/2016 5:59 PM	35650

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Prep Dates

Client: Hygieneering, Inc.

Report Date: April 19, 2016
Original

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Sample ID	Client Sample ID	Collection Date	Prep Batch	Prep Test Name	Leachate Date	Prep Date
1604B44-001A	2701-HF112	4/16/2016 11:34 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-002A	2701-Rm 114 F114A	4/16/2016 11:37 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-003A	2701-Rm 114 F114B	4/16/2016 11:37 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-004A	2701-HF101A	4/16/2016 11:41 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-005A	2701-HF101B	4/16/2016 11:41 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-006A	2701-HF154	4/16/2016 11:45 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-007A	2701-HF164A	4/16/2016 11:47 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-008A	2701-HF164B	4/16/2016 11:47 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-009A	2701-HF162A	4/16/2016 11:50 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-010A	2701-HF162B	4/16/2016 11:50 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-011A	2701-Rm144 F144	4/16/2016 11:54 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-012A	2701-H144	4/16/2016 11:57 AM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-013A	2701-Rm 136 F136	4/16/2016 12:00 PM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-014A	2701-Kit A	4/16/2016 12:04 PM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-015A	2701-HF219	4/16/2016 12:18 PM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-016A	2701-Rm 226 F226	4/16/2016 12:13 PM	35643	Turbidity Check		4/18/2016 9:23 AM
1604B44-017A	2701-HF220	4/16/2016 12:16 PM	35650	Turbidity Check		4/18/2016 11:54 AM
1604B44-018A	2701-Rm 225 F225	4/16/2016 12:19 PM	35650	Turbidity Check		4/18/2016 11:54 AM
1604B44-019A	2701-HF201A	4/16/2016 12:24 PM	35650	Turbidity Check		4/18/2016 11:54 AM

Rpt Ver: 4/19/2016 10:56 AM

SUBURBAN LABORATORIES, Inc.

1950 S. Batavia Ave., Suite 150, Geneva, IL 60134 (708) 544-3260



Prep Dates

Client: Hygieneering, Inc.

Report Date: April 19, 2016
Original

Project: 2016-2607 Springman Middle School

Workorder: 1604B44

Sample ID	Client Sample ID	Collection Date	Prep Batch	Prep Test Name	Leachate Date	Prep Date
1604B44-020A	2701-HF201B	4/16/2016 12:24 PM		35650 Turbidity Check		4/18/2016 11:54 AM



Report Date: April 19, 2016

WorkOrder: 1604B44

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- B Analyte detected in the associated Method Blank
- c Analyte not in SLI scope of accreditation
- C Value is below Minimum Concentration Limit
- E Estimated, detected above quantitation range
- G Refer to case narrative page for specific comments
- H Holding times for preparation or analysis exceeded
- J Analyte detected below quantitation limit (QL)
- N Tentatively identified compound
- ND Not Detected at the Reporting Limit
- P Present
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- W Sample container temperature is out of limit as specified at testcode



SUBURBAN LABORATORIES, Inc.
 1950 S Batavia Ave Ste 150 Geneva, IL 60134
 Tel: 708.544.3260 Fax: 708.544.8587

CHAIN OF CUSTODY RECORD
 Toll Free: 800.783.LABS
 www.suburbanlabs.com

Electronic Version
 Page 1 of 2
 PO No. 2016-2607
 Shipping Method

Company Name: Hygieneering, INC.
 Company Address: 7575 Plaza Court
 City: Willowbrook State: IL Zip: 60527
 Phone: 630-706-6684 Fax: Fax Report

Project ID / Location: 2016-26071 Spring Valley Middle School
 Project Manager (Report to): Valerie Hofmann
 Sample Collector(s): Josh Leer, Chris Garel, Jeff Clark

TURNAROUND TIME REQUESTED
 Normal RUSH* *Additional Rush Charges Approved.
 *Date & Time Needed: _____
 Normal TAT is 5-7 work days for most work. Rush work must be pre-approved and additional charges apply.

Specify Regulatory Program: None/Info only
 LUST SRP SDWA
 503 Sludge NPDES MWRDGC
 Disposal Other _____ *Please specify in comment section below.

ANALYSIS & METHOD REQUESTED
 Enter an "X" in box below for request
 Method 200.8 Lead

QC Reporting 1 2 3
 Level
 LAB USE ONLY
 Sample containers: 104844
 supplied by customer? Yes No
 Temperature of Received Samples: 23 °C
 Samples received within 24 hours of collection? Yes No

SAMPLE IDENTIFICATION	COLLECTION		MATRIX	GRAB/COMP	CONTAINERS	PRESERVATIVE	Method
	DATE	TIME					
1 2701-HG112	4-16-14	1:37A	DW	G	1 8 oz.	HNO3	X
2 2701 RMLLY F114-A		11:37A					Y
3 2701 RMLLY F114-B		11:37A					Y
4 2701-HF 162A		11:54A					Y
5 2701-HF 162B		11:54A					Y
6 2701 HF 162C		11:54A					Y
7 2701 HF 162D		11:54A					Y
8 2701 HF 162E		11:54A					Y
9 2701 HF 162F		11:54A					Y
10 2701 HF 162G		11:54A					Y
11 2701 RMLLY F-144		11:54A					Y
12 2701 HF-144		11:54A					Y

CONDITION CODES
 1. Improper/damaged container/cap
 2. Improper preservation
 3. Insufficient sample volume
 4. Headspace/air bubbles for VOCs
 5. Received past holding time
 6. Received frozen
 7. Label conflicts with COC

COMMENTS & SPECIAL INSTRUCTIONS:
 PLEASE COMPLETE THE HIGHLIGHTED SECTIONS

1. Relinquished By: Josh Leer Date: 4/16/14
 2. Relinquished By: [Signature] Date: 4-16-14
 3. Relinquished By: [Signature] Date: 4-16-14
 4. Relinquished By: [Signature] Date: 4-16-14

Received By: [Signature] Time: 8:04
 Ice

Submission of samples subject to Terms and Conditions on back



SUBURBAN LABORATORIES, Inc.
 1950 S Batavia Ave Ste 150 Geneva, IL 60134
 Tel: 708.544.3260 Fax: 708.544.8587

CHAIN OF CUSTODY RECORD
 Toll Free: 800.783.LABS
 www.suburbanlabs.com

Electronic Version
 Page 2 of 2
 PO No. 2016-2607

Company Name: Hygieneering, INC.
 Company Address: 7575 Plaza Court
 City: Willowbrook State: IL Zip: 60527

Phone: 630-706-6684 Fax: Fax Report
 Email Address: vhotmann@hygieneering.com

Project ID / Location: 2016-2607 / Springwood Middle School
 Project Manager (Report to): Valerie Hofmann

Sample Collector(s): Josh Leer, Chris Gattel, Jeff Clark

TURNAROUND TIME REQUESTED
 Normal RUSH* *Additional Rush Charges Approved.
 *Date & Time Needed: _____
 Normal TAT is 5-7 work days for most work. Rush work must be pre-approved and additional charges apply.
 Specify Regulatory Program: None/Info only
 LUST SRP SDWA
 503 Sludge NPDES MWRDGC
 Disposal Other _____
 *Please specify in comment section below.

ANALYSIS & METHOD REQUESTED
 Enter an "X" in box below for request
 Method 200.8 Lead

Shipping Method: 1 2 3
 Lab Use Only
 Sample containers supplied by customer? Yes No
 Temperature of Received Samples: 23 °C
 Samples received within 24 hours of collection? Yes No
 R Condition: R1 R2 R3 R4 R5 R6 R7 R8 R9 R10 R11 R12

SAMPLE IDENTIFICATION	COLLECTION		MATRIX	GRAB/COMP.	QTY	CONTAINERS SIZE & TYPE	PRESERVATIVE	ANALYSIS & METHOD REQUESTED	CONDITION CODES
	DATE	TIME							
1 2701- Rm 136 - F136	4/6/16	12:00	DW	G	1	8 oz.	HNO3	X	13A
2 2701- Kit - A		12:04						X	
3 2701- HF 219		12:08						X	
4 2701- Rm 224 - F204		12:13						X	
5 2701- HF 220		12:16						X	
6 2701- Rm 225 - F225		12:19						X	
7 2701- HF 201A		12:24						X	
8 2701- HF 201B		12:24						X	20A
9									
10									
11									
12									

COMMENTS & SPECIAL INSTRUCTIONS:
 PLEASE COMPLETE THE HIGHLIGHTED SECTIONS

MATRIX: Drinking Water (DW), Soil (S), Waste Water (WW), Surface Water (SW), Ground Water (GW), Solid Waste (WA), Sludge (U), Wipe (P) CONTAINER: 2oz, 4oz, 8oz, 40ml Vial, 500ml, Liter (L), Tube, Glass (G), Plastic (P) PRESERVATIVE: H₂SO₄, HCl, HNO₃, Methanol (MeOH), NaOH, Sodium Bisulfate (NaB), NaTHio

1. Relinquished By: *Sin Lee* Date: 4/6/16
 2. Relinquished By: *[Signature]* Date: 4-18-16
 3. Relinquished By: _____ Date: _____
 4. Relinquished By: _____ Date: _____

Received By: Ice Time: _____
 Received By: Ice Time: 8:04
 Received By: Ice Time: _____
 Received By: Ice Time: _____

Submission of samples subject to Terms and Conditions on Back. Rev. 7/20/08 Please fill out this form completely, print, sign & submit with samples. Keep a copy for your records.